POLYMERS FOR ADVANCED TECHNOLOGIES
Polym. Adv. Technol. 2006; **17**: 1009–1011

Author Index

Acik, M., 697
Adler, H.-J., 186
Akyol, E., 58
Aliev, I. I., 914
Allen, R. D., 104
Almdal, K., 790
Anna, P., 255, 778, 884
Aoki, K., 940
Arleth, L., 790
Arndt, K.-F., 804
Arof, A. K., 523, 552
Asami, N., 794
Avram, E., 571

Bahamdan, A., 679
Bai, F., 199, 556
Bajdik, J., 814
Bakhshi, R., 354
Balázsi, C., 902
Ballinas-Casarrubias, L., 991
Bárány, T., 818
Baroulaki, I., 954
Bartholmai, M., 772
Bartkowiak, W., 673
Belina, K., 1000
Belousova, L., 506
Belva, F., 304
Ben-Haida, A., 682
Benczedi, D., 45
Berber, H., 860
Berkesi, O., 814
Bertóti, I., 898
Beyer, G., 218
Binder, W. H., 754
Bishop, A., 902
Bocchini, S., 246
Bodnár, I., 945
Bonilla, G., 634
Borbas, L., 889
Borda, J., 945
Bormashenko, E., 20
Boroglu, M. S., 6
Bourbigot, S., 304
Bourmaud, A., 727
Boz, I., 6
Bozkurt, A., 58
Bratton, D., 94
Braun, F., 691
Bromberg, L., 804
Bruma, M., 641, 647, 664
Bukošek, V., 700
Burns, S. D., 104

Camino, G., 246
Cantin, S., 798
Cao, H., 468
Cao, S., 199, 468, 556
Cao, Y., 1
Caporale, A., 786
Carrasco, P.-M., 26
Castelletto, V., 137
Çavuş, S., 30, 878
Chécot, F., 782
Chang, T., 444
Chekina, N. A., 872
Chen, A.-L., 598
Chen, C.-Y., 579
Chen, H., 379
Chen, H.-C., 579
Chen, H. X., 168
Chen, I.-H., 598
Chen, K.-J., 104
Chen, P., 544
Chen, Z., 463, 468
Chou, W. L., 453
Choudhary, V., 186
Chu, H.-J., 366
Ciardelli, G., 786
Cid, R., 865
Ciszewska, M., 37, 41
Cochez, M., 327
Costache, M. C., 272, 764
Costantini, E., 246
Cozan, V., 664
Csontos, I., 884
Czigány, T., 613, 818, 825, 830, 889

Dányádi, L., 967
D'Acunto, M., 786
Dai, H., 360
Dai, J., 94
Daly, W. H., 679
Danilichev, V. F., 872
Davidov, D., 20
Deng, H., 312
Dervos, C. T., 954
Dinu, M. V., 571
Dogossy, G., 825
Dragan, E. S., 571
Droval, G., 732
Du, Y., 193
Duquesne, S., 304
Dyrli, A., 45

Economides, D., 954
El-feky, A. A., 341
Elleuch, B., 727
Elleuch, K., 727
Elyashevich, G. K., 700
Erkal, D., 924

Fan, B., 145, 500
Fan, H., 145
Fan, W., 463
Fang, S.-B., 494, 512, 518
Fatinel, F., 246
Fekete, P., 884
Feller, J.-F., 727, 732
Ferrara, G., 246
Ferriol, M., 327
Filipczak, K., 889
Finkelshtein, B., 20
Ford, J., 83
Forsling, W., 932
Frache, A., 246
Fu, L. J., 587
Fu, S. K., 562
Fujimori, A., 653
Fukuda, H., 116
Fukukawa, K., 131

Gürdağ, G., 878
Gürkaynak, M. A., 30
Güven, G., 850

Gao, D., 604
Gao, J., 587
Gaudon, P., 327
Ge, X. C., 386
Geckeler, K. E., 865
Gernert, M., 691
Gilman, J. W., 263
Giusti, P., 786
Gladkikh, A., 20
Glouannec, P., 732
Gnanou, Y., 782
Gong, C., 360
Gong, Q., 468
González-Sánchez, G., 991
Gottlieb, R., 804
Gouma, P-I., 902
Grabchev, I., 180
Grande, H.-J., 26
Grazulevicius, J. V., 694
Grigoryeva, O., 506
Gu, H., 790
Guan, R., 360
Guittonneau, S., 180
Gurkaynak, M. A., 6

Halász, L., 1000, 1004
Hamciuc, C., 647
Hamciuc, E., 641
Hamdy, A., 341
Hamley, I. W., 137
Han, Z., 335
Hara, M., 653
Harris, R. H., Jr, 263
Harrison, K. L., 474
Hartwig, A., 281
Hatton, T. A., 804
He, C., 500
Heidecker, M. J., 272, 764
Heikkinen, J. J., 426
Heiskanen, J. P., 426
Helliwell, M., 682
Henke, A., 804
Hieda, K., 122
Hinterdorfer, P., 754
Hiraga, T., 841
Hirayama, D., 53
Hirayama, T., 116
Hirose, M., 981
Hodge, P., 682
Holmgren, A., 932
Holze, R., 587
Hormi, O. E. O., 426
Horrocks, A. R., 294
Hórvölgyi, Z., 932
Hossenlopp, J. M., 312
Hou, J., 486, 500
Hu, B., 372
Hu, J., 491
Hu, Y., 235, 463
Huang, M., 163
Huang, W., 544
Huang, W.-S., 104

Ibarra-Gómez, R., 991
Ikeo, Y., 940
Inoue, T., 53
Isel, F., 621

Copyright © 2006 John Wiley & Sons, Ltd.

Ito, E., 653
Ito, H., 104
Ivanchev, S. S., 872
Iwaki, J., 348

Jaegermann, Z., 889
Jagur-Grodzinski, J., 395
Jakobsen, I., 790
Jama, C., 304
Jamshidi, A., 354
Jang, B. N., 226
Jenkins, M. J., 1, 474
Jia, Q. M., 168
Jiang, H., 494
Jiang, J., 604
Jiang, M., 485
Jiang, Y., 163, 485
Jin, S.-H., 709
Jin, Y., 556
Johnsen, H., 45
Jones, R. E., 391
Jung, J. C., 444

Kabanov, V. A., 914
Kadlubowski, S., 804
Kan, C., 193
Kanai, K., 653
Kandare, E., 312
Kandola, B. K., 294
Kang, E.-H., 845
Kang, H.-J., 845
Kang, K., 193
Karger-Kocsis, J., 818
Kashiwagi, T., 263
Katbab, A. A., 975
Kazachkov, A., 20
Keglevich, Gy., 778
Kéki, S., 945
Kerres, J., 591
Keszei, S., 255, 884
Khakpour, M., 354
Khiar, A. S. A., 523
Khojasteh, M., 104
Kienberger, F., 754
Kim, D., 150
Kim, J. S., 150
Kim, M.-R., 709
Kim, R. H., 72
Kim, W.-S., 709
Kishi, H., 940
Kiss, K., 778
Knoll, U., 281, 772
Kong, Q., 463
Köpnick, T., 641
Koul, V., 186
Kowsari, E., 174
Krztoń-Maziopa, A., 37, 41
Kuang, A., 391
Kuckling, D., 186
Kukureka, S. N., 1
Kung, F.-C., 419, 453
Kuryndin, I. S., 700
Kusakabe, M., 53
Kusumoto, S., 122
Kwak, J. H., 150
Kwon, Y., 615

Laachachi, A., 327
Lahitte, J.-F., 621
Lan, J., 491
Le Bras, M., 304
Leal, J. H., 391
Lebák, G., 814
Lecommandoux, S., 782
Lee, H.-J., 709
Lee, J.-C., 981
Lee, J.-K., 444, 709, 845
Lee, J.-W., 845
Lee, K.-S., 72
Lee, S. J., 444
Lee, W.-K., 709
Lei, G., 604
Léon, G., 45
Leroy, E., 327
Levon, K., 226
Lewin, M., 226, 758
Li, A., 12
Li, B.-H., 439
Li, J., 468
Li, M. H., 562
Li, W., 104, 528
Li, Y., 145, 500
Li, Z., 604
Liang, R., 430
Lin, R., 486
Lin, Y., 512
Lirtsman, V., 20
Liu, D., 193
Liu, M., 430
Liu, R., 12
Liu, R. C. W., 798
Liu, T., 544
Liu, W. J., 587
Liu, Y., 199, 468
Liu, Z., 430
Lopez Cuesta, J. M., 327
Lutz, P.-J., 621

Macossay, J., 391
Magoulas, K., 954
Majid, S. R., 523
Mallakpour, S., 174
Manias, E., 272, 764
Manjarrez-Nevárez, L., 991
Marin, L., 664
Marosfői, B. B., 255
Marosi, G. J., 255
Marosi, Gy., 613, 778, 884
Martvonova, H., 255
Masuko, T., 653
Masuya, R., 653
Matsuda, S., 940
Matsumoto, T., 540
Menšík, M., 673
Mendoza-Duarte, M. E., 991
Meng, Y. Z., 386
Mergos, J. A., 954
Mertig, M., 691
Messerschmidt, M., 691
Mey-Marom, A., 226
Millaruelo, M., 691
Min, K., 491
Mirzazadeh, H., 975
Miyata, T., 794
Mizokuro, T., 841
Mobedi, H., 354
Mochizuki, H., 841
Móczó, J., 967
Mohai, M., 898
Mohammed-Ziegler, I., 932
Mondragon, I. 835
Montoya, E., 865
Moon, J. H., 83
Morgan, A. B., 206, 263
Motyakin, M. V., 914
Mravčáková, M., 715
Mugisawa, M., 69
Murakami, A., 940
Murakami, T., 479
Musin, A., 20

Nagashima, Y., 540
Nagy, B. J., 255
Nagy, G., 967
Nagy, T., 884
Nakahara, H., 653
Nakamura, J., 540
Nazaré, S., 294
Nešpůrek, S., 673
Nelson, G. L., 320, 746
Németh, N., 945
Nguyen, D. H., 625
Nisar, M., 682
Niu, A., 430
Normand, V., 45
Novikov, S. A., 872

Ober, C. K., 71, 94
Ochoteco, E., 26
Okawa, K., 794
Olah, L., 889
Omastová, M., 715
Öner, M., 58
Onodera, J., 116
Opitz, J., 691
Osman, M. M., 341
Otdelnova, M. V., 914
Ottenbrite, R. M., 372
Ouali, L., 45
Ouchi, Y., 653

Pan, Z., 528
Pappa, G., 954
Park, C. H., 156
Park, S.-W., 845
Park, S. H., 72
Pavlyuchenko, V. N., 872
Pawlowska, W., 804
Pearce, E. M., 226
Peggion, E., 786
Pelegris, C., 304
Pereira, E., 865
Perrot, F., 798
Peruch, F., 621
Petreus, O., 647
Pfeiffer, D., 104
Pişkin, E., 850
Pintye-Hódi, K., 814
Pionteck, J., 715
Płocharski, J., 37, 41
Pogreb, R., 20
Pomposo, J.-A., 26
Pooley, S. A., 865
Popov, O., 20
Pötschke, P., 715
Poulsen, A. K., 790
Pozhidaev, Yu., 506
Pozo, C., 26
Pozsgay, A., 715
Pukánszky, B., 715, 967
Puskas, J. E., 615
Pyshkin, O., 20
Pütz, D., 281

Copyright © 2006 John Wiley & Sons, Ltd.

Qian, J., 562
Qu, B., 468

Rechichi, A., 786
Ree, M., 444
Regdon, G., Jr, 814
Renner, K., 967
Rivas, B. L., 865
Rivenet, M., 304
Rodríguez-Hernández, J., 782
Rodríguez, F.-J., 26
Rónaszegi, K., 884
Ronkay, F., 830
Rosiak, J. M., 804, 889

Sajó, I. E., 255
Salagnac, P., 732
Sali, S., 180
Sapich, B., 641
Sarac, A., 855, 860
Sartori, S., 786
Sato, H., 122
Sava, I., 641
Sawada, H., 69, 479
Scharff-Poulsen, A. M., 790
Schartel, B., 205, 281, 772
Schmid, R., 45
Schulz, B., 641
Seki, K., 653
Senkal, B. F., 924, 928
Serrano, E., 835
Shao, Z., 485
Shibasaki, Y., 131
Shields, J. R., 263
Shim, J.-M., 845
Shima, M., 122
Shimokawa, T., 122
Shin, W. S., 709
Shiono, D., 116
Shmukler, Y., 20
Shoji, E., 53
Siddiqui, J. A., 372
Sieczkowska, B., 691
Singh, D., 186
Smirnov, M. A., 700
Smith, T. M., 746
Song, L., 235, 463
Song, N., 145
Sonmez, G., 697
Sosnowski, S., 889
Stumpe, J., 641
Sui, D., 163
Sun, H., 790
Sun, Q., 145, 500
Sun, W.-H., 486
Suzuki, M., 69
Suzuki, S., 348
Sworakowski, J., 673
Szép, A., 255
Szabó, A., 884
Szabó, Z., 967

Tajitsu, Y., 907
Takahara, S., 156, 348
Takebayashi, A., 479
Takeda, K., 981
Tan, Z., 500
Tanahashi, M., 981
Tang, Y., 235
Tanigaki, N., 841
Tarantili, P. A., 954
Tercjak, A., 835
Terrazas-Bandala, L. P., 991
Toldy, A., 778
Toman, P., 673
Tóth, A., 898, 932
Tóth, N., 778
Truong, H. D., 104

Ueda, M., 71, 131
Uejima, M., 479
Ujvári, T., 898
Ulanski, P., 804, 889
Uragami, T., 794
Urano, T., 348
Ushakov, N. A., 872

Vala, M., 673
Vana, P., 625
Varanasi, P. R., 104
Vasheghani-Farahani, E., 354
Vlad-Bubulac, T., 647
Vlasova, N., 506
Voit, B., 691
Voronkov, M., 506
Vorster, O., 1000, 1004
Vozzi, G., 786

Wagner, J., 641
Wang, A., 12
Wang, A. Q., 379
Wang, C., 485, 491, 528
Wang, C.-C., 562, 579, 598
Wang, D., 272, 312
Wang, H., 145
Wang, J., 335
Wang, L., 512
Wang, M., 544
Wang, S., 486
Wang, S. J., 386
Wang, X., 163
Wang, Y., 122, 463
Wasserman, A. M., 914
Wegner, G., 705
Wei, C., 534, 608
Weiter, M., 673
Whyman, G., 20
Widmaier, J.-M., 634
Wilkie, C. A., 205, 226, 272, 764
Winie, T., 523, 552
Winnik, F. M., 798
Wu, P., 485
Wu, Y. P., 485, 587

Xiao, M., 386
Xin, Y., 199
Xing, D., 591
Xu, C. Z., 168
Xu, M., 587
Xu, S., 199, 468, 556
Xu, Y.-Y., 366

Yamaguchi, A., 116
Yamaoka, T., 156, 348
Yamazaki, T., 540
Yang, C., 500
Yang, D., 94, 528
Yang, D.-Y., 72
Yang, F., 320
Yang, G.-Z., 544
Yang, J. H. C., 902
Yang, L. C., 587
Yang, M., 556
Yang, M.-C., 419, 439, 453
Yang, S., 83, 360
Yang, W. L., 562
Yavuz, E., 924, 928
Yildirim, H., 855, 860
Yoo, E., 540
Yu, C. L., 608
Yu, X.-B., 534

Zakharova, J. A., 914
Zammarano, M., 226
Zengin, H., 372
Zezin, A. B., 914
Zhan, F., 430
Zhang, D., 486
Zhang, F.-A., 534, 608
Zhang, J., 12
Zhang, J. P., 379
Zhang, L., 528
Zhao, Y. F., 386
Zheng, M., 168
Zhou, S., 518
Zhou, Y., 500
Zhu, B.-K., 366
Zhu, D., 500
Zhu, X.-H., 608
Zin, W.-C., 444
Zirbs, R., 754
Zou, H., 360
Zribi, K., 727
Zsuga, M., 945

Copyright © 2006 John Wiley & Sons, Ltd.

POLYMERS FOR ADVANCED TECHNOLOGIES
Polym. Adv. Technol. 2006; **17**: 1012–1014

Keyword Index

(LCPs) polyesters, 534
1,8-naphthalimide, 180
193 nm immersion lithography, 122
193 nm lithography, 104
4,4-methylene diphenyl diisocyanate, 439

acrylate, 608
activated carbon, 991
adsorption, 709
alloys, 341
aluminium trihydrate, 218
amorphous, 694
amphiphiles, 562
anionic polymerization, 41
anode material, 587
arborescent, 615
artificial muscles, 53
atom transfer radical polymerization (ATRP), 491, 928
atomic force microscopy (AFM), 884
Avrami analysis, 1
Avrami equation, 474

barrier, 335
binding reagents, 865
bioactivity, 786
biocompatibility, 419, 902
biodegradable, 354, 786, 940, 945
biological applications of polymers, 395, 902
biomaterials, 615, 889
blends, 500
block copolymers, 58, 66, 94, 615, 746, 782
branched, 518, 621
butanol, 914

calcium oxalate, 58
capillary flow, 137
carbon nanofibers, 391
carbon nanotubes, 255, 540
carbon steel, 341
cardo structure, 556
catalysts, 163, 486, 540, 579
cationic polymerization, 156
CdS/ZnS, 598
cellulose acetate, 453
charge transport, 673
Charge-transporting polymer, 694
chemical amplification, 104
chitosan, 523
clay, 206, 246, 255, 263, 272, 294, 479, 715, 758, 764, 778
coatings, 341
colloidal silica, 981
comb-shaped polymers, 621
compatibility, 453
compatibilization, 246
composites, 12, 168, 312, 379, 494, 587, 700, 715, 818, 830, 845, 889, 954, 991
compounding, 218, 981
compression, 798
conducting polymers, 26, 37, 673, 697, 700, 705, 727
conducting, 709
conduction mechanism, 523
conductive composites filler, 732
conductivity, 523
cone calorimeter, 246, 281, 772
cone calorimetry, 272, 294
conjugated linoleic acid, 419
conjugated polymers, 37, 199, 468, 500, 544
copolymerization, 486, 945
critical packing parameter, 562
crosslinking, 366, 386, 430, 506, 512, 518, 778, 804
crystallization, 1, 58, 474
curing of polymers, 494
cyclic oligomers, 682
cyclopentadiene, 486

degradation, 312, 439
dendrimers, 512
dielectric properties, 366, 954
differential scanning calorimetry (DSC), 1, 30, 474, 653, 664
diffusion, 552
dimer acid, 30
dimethylaminoethyl methacrylate, 878
diodes, 468
dispersibility, 479
dispersions, 26, 981
distribution, 608
drug delivery systems, 354, 395, 884
dye removal, 928
dye sensitized solar cell, 512, 709
dyes/pigments, 150, 924

electrochemistry, 518, 523, 540, 552, 587, 705, 907
electroluminescence, 468
electron beam irradiation, 116
electrorheological (ER) effect, 37
electrorheological (ER) fluids, 41
electrospinning, 902
electrostatic charge dissipation, 746
emulsifier-free microemulsion polymerization, 850
emulsion polymerization, 150, 193, 491, 608, 855, 860, 884
entropically-driven ring-opening polymerization (ED-ROP), 682
epoxides, 156
epoxy resin, 168, 281, 778
ESCA/XPS, 898, 932
ESR, 914
esterification, 679
ethylene propylene diene monomer, 341
Eudragit RS, 814
extreme ultraviolet (EUV), 94
extrusion, 20

fabrication, 83
ferrocene polymers, 746
fibers, 453, 830, 907
films, 6, 20, 186, 444, 641, 653, 691, 814
fire retardance, 255
flame retardance, 206, 218, 246, 281, 294, 304, 320, 327, 772, 778
flammability, 263, 772
fluorene units, 556
fluorescence, 180, 556, 790
fluorinated comb copolymers, 653
fluorinated polysurfactant, 479
fluorinated vinylsilanes, 66
fluoroalkanoyl peroxide, 66
foams, 366
FR-IR, 419
free volume theory, 1000
FT-IR, 174, 372, 552, 604, 814, 932
fuel cell, 540, 705
fullerene, 66
fullerenes, 500
functionalization of polymers, 426, 786

gel fraction, 463
gel permeation chromatography (GPC), 664
gel polymer electrolytes, 552
gels, 512, 679, 845
glass beads, 372
glass transition, 439, 647, 814
graft copolymers, 928
grafting, 426
graphite oxide, 335
guar gum, 679

hairy particles, 491
HATR method, 814
heat consolidation, 818
helical conformation, 199
heparin, 453
heterogeneous polymers, 579
hexanoyl chitosan, 552
high performance liquid chromatography (HPLC), 579
hybrid fluids, 41
hybrid material, 304
hybrid particle, 598
hydrogels, 1, 186, 430, 794, 804, 872, 878, 924
hydrogen bond, 754
hydrolysis, 491
hydroxyapatite, 902
hydroxyl groups, 608
hyperbranced, 145

imaging electrochemistry, 53
imaging, 122, 156
impact resistance, 967
implant, 395
initiator, 193, 608
inorganic-organic hybrid, 6
in situ hybrid composites, 534
interaction polymer matrix-volatile molecule, 45
interaction with genomic DNA, 850
interfaces, 825
interference lithography, 83
interpenetrating networks (IPNs), 528
interpenetrating polymer networks (IPNs), 634, 794, 872
intumescent flame retardant, 235
iodonium salts, 156
ion exchangers, 53, 360, 506, 571
ionic liquid, 512, 604
ionizing radiation, 804
irradiation, 691, 940

Copyright © 2006 John Wiley & Sons, Ltd.

kinetics (polym.), 1, 45, 474

Langmuir films, 798
lanthanide, 20
latices, 855, 860
layered hydroxy salt, 312
layered silicate, 206, 263
LC alignment layers, 444
leaching, 122
light scattering, 137, 835, 914
light-emitting diodes (LEDs), 145
line-edge roughness, 116
liquid-crystalline polymers (LCP), 41, 534
lithography, 94, 116, 348
living polymerization, 625
low molecular weight, 116
low temperature imidization, 131
luminescence, 20, 145, 598

Macrocyclics, 386
macromonomers, 621
macroporous anion exchangers, 571
macroporous polymers, 889
maize hull, 825
MALDI, 945
matrix, 41, 604, 830
mechanical properties, 168, 439, 534, 634, 825, 830, 889, 898, 975, 991
melt blending, 764
membranes, 6, 419, 523, 598, 700, 705, 865
metal cations, 180
metal ions, 865
metal-chelated polymer, 579
metal-polymer complexes, 865
methyl methacrylate based copolymer, 193
micelles, 66, 137, 914
microcomposite, 226
microdeformation, 967
microfabrications, 72
microstructures, 83, 528
modeling, 732, 825
modification, 898
molecular actuators, 53
molecular glass, 94, 694
molecular weight control, 625
molecular weight, 30
monodispersed, 150
monolayers, 754, 798
monomer ratios, 860
monomers, 199, 571, 587, 850
Monte Carlo simulation, 673
montmorillonite (MMT), 758
montmorillonite, 235
morphology, 354, 544, 697, 835, 975

N,N-dimethylacrylamide, 1, 872
N-hydroxymethyl acrylamide, 878
N-methylol acrylamide, 855
N-vinyl pyrrolidone, 1, 872
nanocomposites, 206, 218, 226, 235, 263, 272, 281, 294, 320, 327, 335, 391, 463, 479, 528, 598, 758, 764, 772, 884, 902, 981
nanofabrication, 697
nanoparticles, 45, 150, 327, 540, 754, 790, 850
nanotechnology, 94
networks, 379
newspaper fibers, 954
NMR, 174, 664

olefins, 163
oligo(organophosphazene), 518
oligomers, 386, 746
oMMT, 168
optical anisotropy, 641
optical properties, 544
organic layered silicate (OLS), 226
organic/inorganic hybrid materials, 634
organically layered silicon (OLS), 758
organification, 379
organoclay, 218, 281, 772
organophosphorous reactive amine flame retardant, 778
organosilicon adsorbents, 506

particle size, 608
patterning, 841
perforation impact, 818
peroxidation mechanism, 579
perylene units, 556
pH sensing, 845
phase behavior, 562
phase separation, 653
phase transition, 544, 653
phosphorus-containing polymers, 647
photo-base generator, 131
photoacid generator, 348
photocells, 500
photochemistry, 83, 348
photochromism, 673
photolabile polymers, 691
photopolymerization, 186, 694
photoresists, 83, 104, 116, 122, 131, 156, 348
piezoelectricity, 907
plastic metallization, 26
plastics, 940
Pluronic copolymer, 137
Pluronic, 804
PNIPAAm, 186
polarization processes, 37
poly(*N*-isopropylacrylamide), 798
poly(*p*-phenylene vinylene), 145
poly(L-lactic acid), 439, 907
poly(acrylic acid), 372, 426
poly(amide-imide)s, 641
poly(azomethine-ether-sulfone)s, 664
poly(azomethine-ether)s, 664
poly(ester-imide)s, 174, 647
poly(ether sulfone), 591
poly(ethylene terephthalate) (PET), 764, 830
poly(ethylene) (PE), 341, 621, 700, 818, 898
poly(lactide-co-glycolide), 354
poly(methyl methacrylate) (PMMA), 227, 312, 327, 391
poly(oxyalkylene), 679
poly(phenylene oxide), 360
poly(propylene) (PP), 226, 235, 715, 818, 967, 1000
poly(tetramethylene ether glycol), 1
poly(vinyl pyrrolidone), 924, 928
polyacrylamide, 790, 794
polyacrylate ester, 335
polyacrylonitrile, 419
polyamides, 30, 135
polybutene, 246
polycaprolactone (PCL), 474, 940
polycarbonates, 320, 727
polycondensation, 174, 468, 506, 641, 647
polydimethylsiloxane, 304
polyelectrolyte-surfactant complexes, 914
polyelectrolytes, 58, 591, 914
polyesters, 294, 528
polyimides, 6, 131, 366, 444, 556
polyisobutylene, 615
polymer dispersed liquid crystals, 835
polymer electrolytes, 494, 604
polymer solar cell, 500
polymer synthesis, 682
polymeric carbon, 587
polymers, 709
polyolefins short branching degree, 1004
polyolefins, 20, 954, 1000
polyorganylsilsesquioxanes, 506
polypeptide, 782
polypyromellitimides, 444
polypyrroles, 26
polystyrene, 180, 263, 320, 615, 732
polysulfones, 682
polythiophene, 709
polyurethanes, 304, 746, 786, 945
porogen, 571
porous films, 700
positive temperature coefficient (PTC) effect, 727
PP/EPDM/organoclay nanocomposite thermoplastic vulcanizates, 975
pressure-volume-temperature (PVT), 1000
proton conducting, 705
proton exchange membrane, 360, 591
pyrromethene derivatives, 348

quantum chemistry, 673

radical polymerization, 58, 691
Raman microscopy, 255, 884
ratiometric detection, 790
raw materials, 26
recycling, 12, 163, 727, 954
refractive index, 122
regenerative medicine, 395
renewable resources, 825
resins, 841, 928
resists, 104
responsive, 782
reversible addition fragmentation chain transfer (RAFT), 625
reversible addition fragmentation transfer (RAFT), 150
rheology, 37, 255, 715, 1004
ring-opening polymerization, 386
room temperature ionic liquid (RTIL), 494
rubber, 727

selectivity, 841
self-assembly, 782, 754
self-reinforced, 818
sensors, 180, 790
short chain branching, 1004
shrinking, 794
silicas, 6, 168, 320, 426, 625, 845

Copyright © 2006 John Wiley & Sons, Ltd.

silicones, 872
silicones rubber, 463
silylation, 932
slow release, 430
soap-free latex particles, 193
sol-gel, 634
solid polymer electrolyte, 518
solubility, 45
solvent evaporation rate, 991
solvent removal, 354
solvent-induction, 199
stabilization, 453, 850, 855, 860
step-growth polymerization, 682
stimuli-sensitive polymers, 804
structure, 486, 591, 991
structure-property relation, 967
styrene, 486
sulfonation, 360
superabsorbent, 12, 379, 430
supramolecular chemistry, 754
surfaces, 372, 625, 758, 786, 798, 898
surfactants, 235, 479, 764, 855
swelling, 12, 193, 379, 794, 878, 924
syndiotatic, 732
synergism, 206
synthesis, 30, 163, 199, 386, 430, 444, 468, 562, 571, 694, 697, 878, 889
systematic variation, 562

TEM, 391, 491, 544
tetraallylammonium bromide, 924
thermal conductivity, 732
thermal initiators, 860
thermal properties, 272, 304, 327, 366, 391, 494, 591, 604, 641, 647, 709, 975, 1004
thermal stability, 463
thermally labile polymers, 691
thermally reversible materials, 835
thermo plastic starch, 940
thermo-sensitive polymers, 186
thermogravimetric analysis (TGA), 45, 226, 312, 360, 372, 426, 634
thermoplastics, 945, 981
thermosets, 131, 835
thermotropic, 534
thin films, 845
thionyl chloride, 174
tissue engineering, 395
toughness, 528
transparency, 104
tris(8-hydroxy-quinoline)aluminium, 145
Triton X-100, 914
two-photon polymerization, 72
two-photon sensitizers, 72

unidirectionally aligned, 697

vacuum, 841
vapor, 841
VERSIPOL™ catalyst, 621
vesicles, 782
viscosity, 679, 1000
voxels, 72
vulcanization, 975

water absorbency, 12
water-soluble polymers, 865
WAXS, 715
wood flour, 967
wood, 932
wool-palladium complex, 163

X-ray, 137, 335

Copyright © 2006 John Wiley & Sons, Ltd.

Polymers for Advanced Technologies
Volume 17

CONTENTS OF VOLUME 17

NUMBER 1 JANUARY 2006

Research Articles

The effect of molecular weight on the crystallization kinetics and equilibrium melting temperature of poly(tetramethylene ether glycol)
M. J. Jenkins, Y. Cao and S. N. Kukureka 1

Structural characterization of silica modified polyimide membranes
M. S. Boroglu, I. Boz and M. A. Gurkaynak 6

Preparation, swelling behaviors and application of polyacrylamide/attapulgite superabsorbent composites
J. Zhang, R. Liu, A. Li and A. Wang 12

Luminescent properties of PP and LDPE films and rods doped with the Eu(III)La(III) complex
R. Progreb, O. Popov, V. Lirtsman, O. Pyshkin, A. Kazachkov, A. Musin, G. Whyman, B. Finkelshtein, Y . Shmukler, D. Davidov, A. Gladkikh and E. Boramashenko 20

Conductivity enhancement in raw polypyrrole and polypyrrole nanoparticle dispersions
J.-A. Pomposo, E. Ochoteco, C. Pozo, P.-M. Carrasco, H.-J. Grande and F.-J. Rodríguez 26

Influence of monofunctional reactants on the physical properties of dimer acid-based polyamides
S. Çavuş and M. A. Gürkaynak 30

Polarization processes in electrorheological fluids based on conductive polymers
A. Krztoń-Maziopa, M. Ciszewska and J. Płocharski 37

Electrorheological effect in hybrid fluids with liquid crystalline additives
M. Ciszewska, A. Krztoń-Maziopa and J. Płocharski 41

Mechanism of Romascone® release from hydrolyzed vinyl acetate nanoparticles: thermogravimetric method
L. Ouali, G. Léon, V. Normand, H. Johnsen, A. Dyrli, R. Schmid and D. Benczedi 45

Effects of d.c. potential patterns on the performance of ion-exchange polymer based molecular actuators
E. Shoji, D. Hirayama, M. Kusakabe and T. Inoue 53

The effects of polyelectrolytes on the inhibition and aggregation of calcium oxalate crystallization
E. Akyol, A. Bozkurt and M. Öner 58

Short Communication

Architecture of novel fluorinated block copolymers fuelled by a poor radical polymerizable characteristic of 1,3-divinyltetramethyldisiloxane
H. Sawada, M. Suzuki and M. Mugisawa 66

NUMBER 2 FEBRUARY 2006

Editorial
C. K. Ober and M. Ueda 71

Reviews

Recent developments in the use of two-photon polymerization in precise 2D and 3D microfabrications
K.-S. Lee, D.-Y. Yang, S. H. Park and R. H. Kim 72

Fabricating three-dimensional polymeric photonic structures by multi-beam interference lithography
J. Hyuk Moon, J. Ford and S. Yang 83

Recent progress in high resolution lithography
D. Bratton, D. Yang, J. Dai and C. K. Ober 94

Research Articles
ArF excimer laser resists based on fluoroalcohol
H. Ito, H. D. Truong, R. D. Allen, W. Li, P. R. Varanasi, K.-J. Chen, M. Khojasteh, W.-S. Huang, S. D. Burns and D. Pfeiffer 104

Depth profile and line-edge roughness of partially *O*-1-ethoxyethylated low molecular weight amorphous polyphenol and poly(*p*-hydroxystyrene) base resists for electron-beam lithography
T. Hirayama, D. Shiono, J. Onodera, A. Yamaguchi and H. Fukuda 116

Advanced materials for 193 nm immersion lithography
S. Kusumoto, M. Shima, Y. Wang, T. Shimokawa, H. Sato and K. Hieda 122

Direct patterning of poly(amic acid) and low-temperature imidization using a photo-base generator
K.-i. Fukukawa, Y. Shibasaki and M. Ueda 131

NUMBER 3 MARCH 2006

Research Articles
Capillary flow behavior of worm-like micelles studied by small-angle X-ray scattering and small angle light scattering
V. Castelletto and I. W. Hamley 137

Electroluminescent properties of a partially-conjugated hyperbranched poly(*p*-phenylene vinylene)
B. Fan, Q. Sun, N. Song, H. Wang, H. Fan and Y. Li 145

Coloration of monodispersed polystyrene nanoparticles prepared via the RAFT reaction
J. S. Kim, J. H. Kwak and D. Kim 150

The participation of the anion and alkyl substituent of diaryliodonium salts in photo-initiated cationic polymerization reactions
C. H. Park, S. Takahara and T. Yamaoka 156

Highly effective hydration of olefins using a wool-palladium complex as a catalyst
X. Wang, D. Sui, M. Huang and Y. Jiang 163

The mechanical properties and tribological behavior of epoxy resin composites modified by different shape nanofillers
Q. M. Jia, M. Zheng, C. Z. Xu and H. X. Chen 168

Preparation and characterization of new thermally stable and optically active poly(ester-imide)s by direct polycondensation with thionyl chloride in pyridine
S. Mallakpour and E. Kowsari 174

A novel blue fluorescent chemosensor for metal cations and protons, based on 1,8-naphthalimide and its copolymer with styrene
S. Sali, S. Guittonneau and I. Grabchev 180

Synthesis and characterization of poly(*N*-isopropylacrylamide) films by photopolymerization
D. Singh, D. Kuckling, V. Choudhary, H.-J. Adler and V. Koul 186

Study on soap-free P(MMA-EA-AA or MAA) latex particles with narrow size distribution
K. Kang, C. Kan, Y. Du and D. Liu 193

Solvent-induced helical conformation observed from a conjugated polymer poly(*N*-octylcarbazole ethylene)
Y. Liu, Y. Xin, F. Bai, S. Xu and S. Cao 199

NUMBER 4 APRIL 2006

Editorial
C. A. Wilkie 205

Review Article
Flame retarded polymer layered silicate nanocomposites: a review of commercial and open literature systems
A. B. Morgan 206

Research Articles
Flame retardancy of nanocomposites based on organoclays and carbon nanotubes with aluminium trihydrate
G. Beyer 218

Nanocomposites at elevated temperatures: migration and structural changes
M. Lewin, E. M. Pearce, K. Levon and A. Mey-Marom, M. Zammarano, C. A. Wilkie and B. N. Jang 226

Poly(propylene)/clay nanocomposites and their application in flame retardancy
Y. Hu, Y. Tang and L. Song 235

Poly-1-butene/clay nanocomposite effect of compatibilizers on thermal and fire retardant properties
S. Bocchini, A. Frache, G. Camino, E. Costantini, G. Ferrara and F. Fatinel 246

Complex activity of clay and CNT particles in flame retarded EVA copolymer
B. B. Marosföi, G. J. Marosi, A. Szép, P. Anna, S. Keszei, B. J. Nagy, H. Martvonova and I. E. Sajó 255

A study of the flammability reduction mechanism of polystyrene-layered silicate nanocomposite: layered silicate reinforced carbonaceous char
J. W. Gilman, R. H. Harris Jr., J. R. Shields, T. Kashiwagi and A. B. Morgan 263

The thermal degradation of poly(methyl methacrylate) nanocomposites with montmorillonite, layered double hydroxides and carbon nanotubes
M. C. Costache, D. Wang, M. J. Heidecker, E. Manias and C. A. Wilkie 272

Phosphonium-modified layered silicate epoxy resins nanocomposites and their combinations with ATH and organo-phosphorus fire retardants
B. Schartel, U. Knoll, A. Hartwig and D. Pütz 281

Flame-retardant unsaturated polyester resin incorporating nanoclays
S. Nazaré, B. K. Kandola and A. R. Horrocks 294

Heat and fire resistance of polyurethane-polydimethylsiloxane hybrid material
F. Belva, S. Bourbigot, S. Duquesne, C. Jama, M. L. Bras, C. Pelegris and M. Rivenet 304

Thermal stability and degradation kinetics of poly(methyl methacrylate)/layered copper hydroxy methacrylate composites
E. Kandare, H. Deng, D. Wang and J. M. Hossenlopp 312

Polymer/silica nanocomposites prepared via extrusion
G. L. Nelson and F. Wang 320

Effect of Al_2O_3 and TiO_2 nanoparticles and APP on thermal stability and flame retardance of PMMA
A. Laachachi, M. Cochez, E. Leroy, P. Gaudon, M. Ferriol and J. M. Lopez Cuesta 327

The combustion behavior of polyacrylate ester/graphite oxide composites
J. Wang and Z. Han 335

NUMBER 5 MAY 2006

Research Articles
Parameters controlling the evaluation of polymeric coatings for carbon steel alloy
A. A. El-feky, M. M. Osman and A. Hamdy 341

Pyrromethene dye sensitized photopolymer—photochemical behavior in polymer matrix and application to photoresist for printed circuit board
S. Suzuki, J. Iwaki, T. Urano, S. Takahara and T. Yamaoka 348

The effect of additives on naltrexone hydrochloride release and solvent removal rate from an injectable *in situ* forming PLGA implant
R. Bakhshi, E. Vasheghani-Farahani, H. Mobedi, A. Jamshidi and M. Khakpour 354

Sulfonated poly(phenylene oxide) membranes as promising materials for new proton exchange membranes
S. Yang, C. Gong, R. Guan, H. Zou and H. Dai 360

Preparation and dielectric properties of polyimide foams containing crosslinked structures
H.-J. Chu, B.-K. Zhu and Y.-Y. Xu 366

Surface modification of glass beads with poly(acrylic acid)
H. Zengin, B. Hu, J. A. Siddiqui and R. M. Ottenbrite 372

Study of a superabsorbent composite—VII. Effects of organification of attapulgite on swelling behaviors of poly(Acrylic acid-co-acrylamide)/sodium humate/organo-attapulgite composite
J. P. Zhang, H. Chen and A. Q. Wang 379

Synthesis and ring-opening polymerization of macrocyclic (arylene thioether ketone) oligomers
Y. F. Zhao, M. Xiao, X. C. Ge, S. J. Wang and Y. Z. Meng 386

Short Communication
Electrospun fibers from poly(methyl methacrylate)/vapor grown carbon nanofibers
J. Macossay, J. H. Leal, A. Kuang and R. E. Jones 391

NUMBER 6 JUNE 2006

Review Article
Polymers for tissue engineering, medical devices, and regenerative medicine. Concise general review of recent studies
J. Jagur-Grodzinski 395

Research Articles
Effect of conjugated linoleic acid grafting on the hemocompatibility of polyacrylonitrile membrane
F.-C. Kung and M.-C. Yang 419

Grafting of functionalized silica particles with poly(acrylic acid)
J. J. Heikkinen, J. P. Heiskanen and O. E. O. Hormi 426

Synthesis of a slow-release and superabsorbent nitrogen fertilizer and its properties
M. Liu, R. Liang, F. Zhan, Z. Liu and A. Niu 430

Improvement of thermal and mechanical properties of poly(L-lactic acid) with 4,4-methylene diphenyl diisocyanate
B.-H. Li and M.-C. Yang 439

Synthesis, characterization and liquid crystal-aligning properties of new poly{3-[4-(*n*-alkyloxy)phenyloxy]pyromellitimide}s
J. K. Lee, S. J. Lee, J. C. Jung, W.-C. Zin, T. Chang and M. Ree 444

In vitro evaluation of cellulose acetate hemodialyzer immobilized with heparin
F.-C. Kung, W.-L. Chou and M.-C. Yang 453

Influence of Fe-MMT on crosslinking and thermal degradation in silicone rubber/clay nanocomposites
Q. Kong, Y. Hu, L. Song, Y. Wang, Z. Chen and W. Fan 463

Conjugated polymers containing phenothiazine moieties in the main chain
Y. Liu, J. Li, H. Cao, B. Qu, Z. Chen, Q. Gong, S. Xu and S. Cao 468

The effect of molecular weight on the crystallization kinetics of polycaprolactone
M. J. Jenkins and K. L. Harrison 474

Short Communication
Preparation and applications of novel amphiphilic fluoroalkyl end-capped oligomers-clay nanocomposites
H. Sawada, A. Takebayashi, M. Uejima and T. Murakami 479

NUMBERS 7–8 JULY–AUGUST 2006

SPECIAL ISSUE
15th International Symposium on Fine Chemistry & Functional Polymers (FCFP-XV) held at Fudan University in Shanghai, China, 17–20 October 2005

Editorial
Y. Wu, Z. Shao, M. Jiang, C. Wang, P. Wu and Y. Jiang 485

Research Articles
Copolymerization of cyclopentadiene with styrene by methylaluminoxane catalyst
J. Hou, D. Zhang, R. Lin, D. Zhang, S. Wang and W.-H. Sun 486

Preparation and characterization of self-dispersible polymeric microspheres
K. Min, J. Lan, J. Hu and C. Wang 491

New composite polymer electrolytes based on room temperature ionic liquids and polyether
H. Jiang and S. Fang 494

Thinner-film plastic photovoltaic cells based on different C_{60} derivatives
C. Yang, Y. Li, J. Hou, C. He, Z. Tan, B. Fan, Y. Zhou, Q. Sun, Y. Li, Y. Li and D. Zhu 500

Organosilicon ion-exchange and complexing adsorbents
M. Voronkov, N. Vlasova, Yu. Pozhidaev, L. Belousova and O. Grigoryeva 506

Novel polymer electrolytes containing chemically crosslinked gelators for dye-sensitized solar cells
L. Wang, S.-B. Fang and Y. Lin 512

Electrochemical characters of cross-linkable oligo(oxyethylene) branched low molecular weight poly(organophosphazenes)
S. Zhou and S.-B. Fang 518

Ionic conductivity of chitosan membranes and application for electrochemical devices
T. Winie, S. R. Majid, A. S. A. Khiar and A. K. Arof 523

Synergistically modified unsaturated polyester resin with polyester urethane and montmorillonite: microstructure and properties
C. Wang, Z. Pan, L. Zhang, D. Yang and W. Li 528

Studies on the mechanical and dynamic mechanical properties of thermotropic liquid crystalline polymer/unsaturated polyester/glass fiber *in situ* hybrid composites
X.-B. Yu, C. Wei and F.-A. Zhang 534

Reduction of Pt usage in fuel cell electrocatalysts using carbon nanotubes and non-Pt metals
E. Yoo, Y. Nagashima, T. Yamazaki, T. Matsumoto and J. Nakamura 540

Photophysical properties and morphology of fluorene-alt-benzene based conjugated polymers
G.-Z. Yang, P. Chen, T. Liu, M. Wang and W. Huang ____ 544

Hexanoyl chitosan-based gel electrolyte for use in lithium-ion cell
T. Winie and A. K. Arof ____ 552

Highly soluble diphenylfluorene-based cardo copolyimides containing perylene units
S. Xu, Y. Jin, M. Yang, F. Bai and S. Cao ____ 556

Synthesis of polymerizable amphiphiles with critical packing parameters systematically varied
M. H. Li, W. L. Yang, J. Qian, C. C. Wang and S. K. Fu ____ 562

Organic ion exchangers as beads. Synthesis, characterization and applications
E. S. Dragan, E. Avram and M. V. Dinu ____ 571

The mechanism of cumene peroxidation catalyzed by cobalt(II)-chelated copolymer
C.-C. Wang, H.-C. Chen and C.-Y. Chen ____ 579

Novel composite anode materials of Ag and polymeric carbon for lithium ion batteries
J. Gao, L. C. Yang, L. J. Fu, M. Xu, W. J. Liu, Y. P. Wu and R. Holze ____ 587

Improved performance of sulfonated polyarylene ethers for proton exchange membrane fuel cells
D. Xing and J. Kerres ____ 591

Preparation of a highly luminescent nanocomposite by chelating copolymer
C.-C. Wang, A.-L. Chen and I.-H. Chen ____ 598

Gel polymer electrolyte prepared by *in situ* polymerization of MMA monomers in room temperature ionic liquid
Z. Li, J. Jiang, G. Lei and D. Gao ____ 604

The effect of initiator system on acrylate emulsion copolymerization with higher hydroxyl monomer content
F.-A. Zhang, C.-L. Yu, X.-H. Zhu and C. Wei ____ 608

NUMBERS 9–10 SEPTEMBER–OCTOBER 2006

SPECIAL ISSUE
8th International Symposium on Polymers for Advanced Technologies 2005 (PAT 2005), Budapest, 13–16 September 2005, Part 1.

Editorial
G. Marosi and T. Czigány ____ 613

Research Articles
Biomacromolecular engineering: design, synthesis and characterization. One-pot synthesis of block copolymers of arborescent polyisobutylene and polystyrene
J. E. Puskas and Y. Kwon ____ 615

Design of new poly(ethylene) based materials by coordination (co)polymerization of macromonomers with ethylene
J.-F. Lahitte, F. Peruch, F. Isel and P. J. Lutz ____ 621

Silica-immobilized cumyl dithiobenzoate as mediating agent in reversible addition fragmentation chain transfer (RAFT) polymerization
D.-H. Nguyen and P. Vana ____ 625

In situ synthesis of optically transparent interpenetrating organic/inorganic networks
J.-M. Widmaier and G. Bonilla ____ 634

New poly(amide-imide)s containing cinnamoyl and azobenzene groups
E. Hamciuc, I. Sava, M. Bruma, T. Köpnick, B. Schulz, B. Sapich, J. Wagner and J. Stumpe ____ 641

Synthesis and properties of new phosphorus-containing poly(ester-imide)s
T. Vlad-Bubulac, C. Hamciuc, O. Petreus and M. Bruma 647

Formation and structure of organized molecular films for fluorinated comb copolymers
A. Fijimori, R. Masuya, T. Masuko, E. Ito, M. Hara, K. Kanai, Y. Ouchi, K. Seki and H. Nakahara 653

Comparative study of new thermotropic polyazomethines
L. Marin, V. Cozan and M. Bruma 664

Influence of dipolar species on charge transport in poly[2-methoxy-5-(2'-ethylhexyloxy)-*p*-phenylene vinylene]
P. Toman, S. Nešpůrek, M. Weiter, M. Vala, J. Sworakowski, W. Bartkowiak and M. Menšik 673

Poly(oxyalkylene) grafts to guar gum with applications in hydraulic fracturing fluids
A. Bahamdan and W. H. Daly 679

Synthesis of 2,2'-biphenol- and 2,2'-bi(2-naphthol)-based poly(ether sulfones) and copolymers by classical step-growth polymerization and by entropically-driven ring-opening polymerization of macrocyclic oligomers
A. Ben-Haida, P. Hodge, M. Nisar and M. Helliwell 682

Photolabile and thermally labile polymers as templates and for surface patterning
B. Voit, F. Braun, M. Gernert, B. Sieczkowska, M. Millaruelo Boira, M. Messerschmidt, M. Mertig and J. Opitz 691

Charge-transporting polymers and molecular glasses for optoelectronic applications
J. V. Grazulevicius 694

Nanofabrication of aligned conducting polymers
M. Acik and G. Sonmez 697

Electroactive composite systems containing high conductive polymer layers on poly(ethylene) porous films
G. K. Elyashevich, M. A. Smirnov, I. S. Kuryndin and V. Bukošek 700

Polymers as functional components in batteries and fuel cells
G. Wegner 705

Preparations and photovoltaic properties of dye-sensitized solar cells using thiophene-based copolymers as polymer electrolytes
J.-K. Lee, W.-S Kim, H.-J. Lee, W. S. Shin, S.-H. Jin, W.-K. Lee and M.-R. Kim 709

Poly(propylene)/montmorillonite/polypyrrole composites: structure and conductivity
M. Mravčáková, M. Omastová, P. Pötschke, A. Pozsgay, B. Pukánszky and J. Pionteck 715

Conductive polymer composites obtained from recycled poly(carbonate) and rubber blends for heating and sensing applications
K. Zribi, J. F. Feller, K. Elleuch, A. Bourmaud and B. Elleuch 727

Thermal conductivity enhancement of electrically insulating syndiotactic poly(styrene) matrix for diphasic conductive polymer composites
G. Droval, J.-F. Feller, P. Salagnac and P. Glouannec 732

Ferrocene containing copolymers with improved electrostatic dissipation properties for advanced applications
T. M. Smith and G. L. Nelson 746

Selective binding of nanoparticles on surfaces and into polymeric matrices via directed hydrogen bonding interactions
W. H. Binder, R. Zirbs, F. Kienberger and P. Hinterdorfer 754

Reflections on migration of clay and structural changes in nanocomposites
M. Lewin 758

Preparation and characterization of poly(ethylene terephtalate)/clay nanocomposites by melt blending using thermally stable surfactants
M. C. Costache, M. J. Heidecker, E. Manias and C. A. Wilkie 764

Some comments on the main fire retardancy mechanisms in polymer nanocomposites
B. Schartel, M. Bartholmai and U. Knoll 772

Flame retardancy of epoxy resin with phosphorus-containing reactive amine and clay minerals
A. Toldy, N. Tóth, P. Anna, Gy. Keglevich, K. Kiss and Gy. Marosi 778

Responsive micelles and vesicles based on polypeptide diblock copolymers
F. Chécot, J. Rodríguez-Hernández, Y. Gnanou and S. Lecommandoux 782

Bioactive polyurethanes in clinical applications
G. Ciardelli, A. Rechichi, S. Sartori, M. D'Acunto, A. Caporale, E. Peggion, G. Vozzi and P. Giusti 786

Fluorescent gel particles in the nanometer range for detection of metabolites in living cells
K. Almdal, H. Sun, A. K. Poulsen, L. Arleth, I. Jakobsen, H. Gu and A. M. Scharff-Poulsen 790

Rapid response of a poly(acrylamide) hydrogel having a semi-interpenetrating polymer network structure
T. Miyata, N. Asami, K. Okawa and T. Uragami 794

Effects of polymer architecture and composition on the interfacial properties of temperature-responsive hydrophobically-modified poly(*N*-isopropylacrylamides)
R. C. W. Liu, S. Cantin, F. Perrot and F. M. Winnik 798

Synthesis of hydrogels by radiation-induced crosslinking of Pluronic® R F127 in N_2O-saturated aqueous solution
P. Ulanski, W. Pawlowska, S. Kadlubowski, A. Henke, R. Gottlieb, K.-F. Arndt, L. Bromberg, T. Alan Hatton and J. M. Rosiak 804

Effect of stirring on film formation from a Eudragit RS aqueous dispersion
J. Bajdik, G. Regdon Jr., G. Lebák, O. Berkesi and K. Pintye-Hódi 814

Development and characterization of self-reinforced poly(propylene) composites: carded mat reinforcement
T. Bárány, J. Karger-Kocsis and T. Czigány 818

Modeling and investigation of the reinforcing effect of maize hull in PE matrix composites
G. Dogossy and T. Czigány 825

Development of composites with recycled PET matrix
F. Ronkay and T. Czigány 830

NUMBERS 11–12 NOVEMBER–DECEMBER 2006

SPECIAL ISSUE
Selected papers presented at the 8th International Symposium on Polymers for Advanced Technologies
2005 (PAT 2005), Budapest, 13–16 September 2005, Part 2.

Research Articles
Thermally reversible materials based on thermosetting systems modified with polymer dispersed liquid crystals for optoelectronic application
A. Tercjak, E. Serrano and I. Mondragon 835

Fabrication of micropatterns with dyes in polymer films by selective doping of dye vapor in a vacuum
T. Mi[illegible]kuro, H. Mochizuki, N. Tanigaki and T. Hiraga 841

Modification of mesostructure base on composition of silica materials and their applications to pH sensing
E.-H. Kang, J.-M. Shim, H.-J. Kang, S.-W. Park, J.-W. Lee and J. K. Lee 845

Optimization of monosize/cationic nanoparticle synthesis and their interaction with genomic DNA
G. Güven and E. Pişkin 850

Semi–continuous emulsion copolymerization of vinyl acetate and butyl acrylate using a new protective colloid. Part 1. Effects of different emulsifiers
A. Sarac and H. Yildirim 855

Semi–continuous emulsion copolymerization of vinyl acetate and butyl acrylate using a new protective colloid. Part 2. Effect of monomer ratio and initiator
A. Sarac, H. Berber and H. Yildirim 860

Water-soluble polymer materials as complexing reagents for the separation of metal ions using membrane filtration
B. L. Rivas, S. A. Pooley, E. Pereira, E. Montoya, R. Cid and K. E. Geckeler 865

A new polymeric silicone hydrogel for medical applications: synthesis and properties
N. A. Chekina, V. N. Pavlyuchenko, V. F. Danilichev, N. A. Ushakov, S. A. Novikov and S. S. Ivanchev 872

Synthesis and swelling behavior of poly(2-dimethylaminoethyl methacrylate-co-*N*-hydroxymethyl acrylamide) hydrogels
G. Gürdağ and S. Çavuş 878

Controlled technology for forming a nanostructured polymer coating for solid pharmaceuticals
I. Csontos, K. Rónaszegi, A. Szabó, S. Keszei, P. Anna, P. Fekete, G Marosi and T. Nagy 884

Synthesis, structural and mechanical properties of porous polymeric scaffolds for bone tissue regeneration based on neat poly(ε-caprolactone) and its composites with calcium carbonate
L. Olah, K. Filipczak, Z. Jaegermann, T. Czigany, L. Borbas, S. Sosnowski, P. Ulanski and J. M. Rosiak 889

Advanced surface modification of ultra-high molecular weight poly(ethylene) by helium plasma immersion ion implantation
A. Tóth, M. Mohai, T. Ujvári and I. Bertóti 898

Biopolymer-hydroxyapatite composite coatings prepared by electrospinning
A. Bishop, C. Balázsi, J. H. C. Yang and P.-I. Gouma 902

Development of electric control catheter and tweezers for thrombosis sample in blood vessels using piezoelectric polymeric fibers
Y. Tajitsu 907

Effect of organic additives on formation and structure of polyelectrolyte-oppositely charged surfactant complexes
J. A. Zakharova, M. V. Otdelnova, I. I. Aliev, M. V. Motyakin, A. M. Wasserman, A. B. Zezin and V. A. Kabanov 914

Removal of dyes from water by poly(vinyl pyrrolidone) hydrogel
B. F. Senkal, D. Erkal and E. Yavuz 924

Preparation of poly(vinyl pyrrolidone) grafted sulfonamide based polystyrene resin and its use for the removal of dye from water
B. F. Senkal and E. Yavuz 928

Wettability and spectroscopic characterization of silylated wood samples
I. Mohammed-Ziegler, Z. Hórvölgyi, A. Tóth, W. Forsling and A. Holmgren 932

Nano clay reinforced biodegradable plastics of PCL starch blends
Y. Ikeo, K. Aoki, H. Kishi, S. Matsuda and A. Murakami 940

New potentially biodegradable polyurethanes
J. Borda, S. Kéki, I. Bodnár, N. Németh and M. Zsuga 945

Performance of polyolefin composites containing recycled paper fibers
I. Baroulaki, J. A. Mergos, G. Pappa, P. A. Tarantili, D. Economides, K. Magoulas and C. T. Dervos 954

Wood flour filled PP composites: adhesion, deformation, failure
L. Dányádi, K. Renner, Z. Szabó, G. Nagy, J. Móczó and B. Pukánszky ____ 967

PP/EPDM-based thermoplastic dynamic vulcanizates with organoclay: morphology, mechanical and viscoelastic properties
H. Mirzazadeh and A. A. Katbab ____ 975

Organic/inorganic nanocomposites prepared by mechanical smashing of agglomerated silica ultrafine particles in molten thermoplastic resin
M. Tanahashi, M. Hirose, J.-C. Lee and K. Takeda ____ 981

Structural and performance variation of activated carbon-polymer films
L. Ballinas-Casarrubias, L. P. Terrazas-Bandala, R. Ibarra-Gómez, M. E. Mendoza-Duarte, L. Manjarrez-Nevárez and G. González-Sánchez ____ 991

Structure and processing relationship for olefin copolymers
L. Halász, K. Belina and O. Vorster ____ 1000

Relationship for the different processing properties of polyolefin homopolymers and copolymers
L. Halász and O. Vorster ____ 1004

Author Index ____ 1009

Keyword Index ____ 1012

Volume Contents ____ iii